




SHOWER CABIN

COLLECTION





INDEX



Moon serial1-39



Moon set.....40-67



Optimal serial.....68-84




Luxury serial.....85-100



4 mm.....101-107



Acrylics.....108-114





Optimum Banyo Mlz. ve Cam Ürünleri İns. San. Tic. Ltd. Şti. was established in 2008 and started its production and marketing activities with the "optimoon" brand in its own facility in Adana furniture site [adamos].

All of the products produced are design registered models.


While designing the models we will produce, we carefully evaluate all the details and work with the awareness that it is not a duty but a responsibility to produce optimum quality without missing any details.

We aim to produce and develop using the latest technologies and to be the address of the right preferences and to maintain the trust in the "Optimoon" brand with Our management policy that accepts change as innovation,

Our production staff, which takes the quality assurance measures required by our quality standards in every unit starting from the stage of raw material procurement and reaching the consumer,

Our sales team, which offers the right product alternatives in all possibilities from the beginning of the project regarding marketing,

Our technical personnel, who are subject to continuous training in accordance with our quality policy standards and provide perfect installation service at the optimum level during the installation phase And after-sales technical service with our technical service unit based on customer satisfaction.


A cluster of smooth, dark, teardrop-shaped stones, possibly obsidian or polished river stones, is arranged in the upper left corner of the image. The stones have a glossy finish and some show lighter, veined patterns. The background is a dark, textured surface.

Custom Desing

moon
serial



Double wick detail
Lift system
Return discharge









When the stabilizer is not used, the glass holders serve the same purpose.


Optimoon.
Detail

With the lift hinge, the door
closes with one touch.

6

PRODUCT CODE: M-201
Technical Drawing. See S.6





Details That Trap The
Water...









Showering is a routine part of healthy living.

The shower we take when we come home tired allows us to get away from all the stress of the day and relaxes us.

The places where we bathe are important.

We don't like complex structures.

It should be easy to use and match our habits.

The peace we seek must be reinforced by the details in this room.



Optimoon.
Detail

In bar applications, the doors are closed with one touch, no manual adjustments are made.











Optimoon.
Detail

It is possible to apply in all sizes
with an angle of 135°.

Too many
application
options with
compatible
profile designs







Choosing the right products;

Bathrooms are one of the most closed areas of the house. They must be regularly ventilated.

If you have a shower cabin in your bathroom, you should keep the bathroom shower cabin window open, especially when you take a shower. The already excess humidity will increase even more during the shower.

Air from the window or door; will prevent the accumulation of toxins such as carbon dioxide. The air coming from outside also changes the air of the bathroom and ensures that oxygen enters the room regularly. It is necessary for air circulation. In this way, the risks of carbon monoxide which is an odorless poison, are prevented.





Optimoon.
Detail

The glass stabilizer is adjustable horizontally and vertically.









Glass door system:

It has a sealing feature.


It has return discharge.

It has adjustable door direction and lift system.









Product Code: **M-100**


MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	PIVOT DOOR	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	65 cm - 90 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	OPENABLE MECHANISM	CONTINUOUS HINGE
ADJUSTMENT PROFILE SHARE PROFILE SEATING AREA	1,5 cm 4 cm	OPENING DIRECTION	INSIDE AND OUTSIDE
		OPTIONAL HEIGHT	230 cm

Product Code: **M-101**

MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	BAR DOOR	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	80 cm - 110 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	OPENABLE MECHANISM	CONTINUOUS HINGE
ADJUSTMENT PROFILE SHARE PROFILE SEATING AREA	1,5 cm 4 cm	OPENING DIRECTION	INSIDE AND OUTSIDE
		OPTIONAL HEIGHT	230 cm

Product Code: **M-200**


MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	K.G 2 FIXED 1 DOOR	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	OPTIONAL	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	OPENABLE MECHANISM	CONTINUOUS HINGE
ADJUSTMENT PROFILE SHARE PROFILE SEATING AREA	1,5 cm 4 cm	OPENING DIRECTION	INSIDE AND OUTSIDE
		OPTIONAL HEIGHT	230 cm

Product Code: **M-200/1**

MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	K.G 2 FIXED 1 DOOR	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	OPTIONAL	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	OPENABLE MECHANISM	CONTINUOUS HINGE
ADJUSTMENT PROFILE SHARE PROFILE SEATING AREA	1,5 cm 4 cm	OPENING DIRECTION	INSIDE AND OUTSIDE
		OPTIONAL HEIGHT	230 cm

Product Code: **M-200P**


MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 1 DOOR	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	OPTIONAL	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	OPENABLE MECHANISM	CONTINUOUS HINGE
ADJUSTMENT PROFILE SHARE PROFILE SEATING AREA	1,5 cm 4 cm	OPENING DIRECTION	INSIDE AND OUTSIDE
		OPTIONAL HEIGHT	230 cm

Product Code: **M-200P/1**


MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 1 DOOR	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	OPTIONAL	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	OPENABLE MECHANISM	CONTINUOUS HINGE
ADJUSTMENT PROFILE SHARE PROFILE SEATING AREA	1,5 cm 4 cm	OPENING DIRECTION	INSIDE AND OUTSIDE
		OPTIONAL HEIGHT	230 cm

Product Code: **M-201**


MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	1 FIXED 1 DOOR	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	OPTIONAL	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	OPENABLE MECHANISM	CONTINUOUS HINGE
ADJUSTMENT PROFILE SHARE PROFILE SEATING AREA	1,5 cm 4 cm	OPENING DIRECTION	INSIDE AND OUTSIDE
		OPTIONAL HEIGHT	230 cm

Product Code: **M-201/1**


MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	1 FIXED 1 DOOR	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	OPTIONAL	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	OPENABLE MECHANISM	CONTINUOUS HINGE
ADJUSTMENT PROFILE SHARE PROFILE SEATING AREA	1,5 cm 4 cm	OPENING DIRECTION	INSIDE AND OUTSIDE
		OPTIONAL HEIGHT	230 cm

Product Code: **M-201P**


MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	1 FIXED 1 DOOR	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	OPTIONAL	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	OPENABLE MECHANISM	CONTINUOUS HINGE
ADJUSTMENT PROFILE SHARE PROFILE SEATING AREA	1,5 cm 4 cm	OPENING DIRECTION	INSIDE AND OUTSIDE
		OPTIONAL HEIGHT	230 cm

Product Code: **M-303TG**


MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	1 FIXED 1 OPENABLE	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	OPTIONAL	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	GLASS FIXING	TELESCOPIC TENSIONER
ADJUSTMENT PROFILE SHARE PROFILE SEATING AREA	1,5 cm 4 cm	OPENING DIRECTION	INSIDE - OUTSIDE
		OPTIONAL HEIGHT	230 cm

Product Code: **M-302TG**


MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	FIXED PANEL	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	OPTIONAL	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	GLASS FIXING	TELESCOPIC TENSIONER
ADJUSTMENT PROFILE SHARE PROFILE SEATING AREA	1,5 cm 4 cm	OPENING DIRECTION	FIXED PANEL
		OPTIONAL HEIGHT	230 cm

Product Code: **M-400**


MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 1 OPENABLE	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	150 cm - 230 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	GLASS FIXING	CROSS TENSIONER
ADJUSTMENT PROFILE SHARE PROFILE SEATING AREA	1,5 cm 4 cm	OPENING DIRECTION	INSIDE - OUTSIDE
		OPTIONAL HEIGHT	230 cm

Product Code: **M-300CG**


MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	FIXED PANEL	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	OPTIONAL	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	GLASS FIXING	CROSS TENSIONER
ADJUSTMENT PROFILE SHARE PROFILE SEATING AREA	1,5 cm 4 cm	OPENING DIRECTION	FIXED PANEL
		OPTIONAL HEIGHT	230 cm

Product Code: **M-400P**

MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 1 DOOR	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	150 cm - 230 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	GLASS FIXING	ROOF SYSTEM
ADJUSTMENT PROFILE SHARE PROFILE SEATING AREA	1,5 cm 4 cm	OPENING DIRECTION	INSIDE - OUTSIDE
		OPTIONAL HEIGHT	230 cm

Product Code: **M-301CG**

MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	1 FIXED 1 OPENABLE	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	OPTIONAL	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	GLASS FIXING	CROSS TENSIONER
ADJUSTMENT PROFILE SHARE PROFILE SEATING AREA	1,5 cm 4 cm	OPENING DIRECTION	INSIDE - OUTSIDE
		OPTIONAL HEIGHT	230 cm

Product Code: **M-400P/1**


MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	4 FIXED 1 DOOR	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	150 cm - 230 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	GLASS FIXING	ROOF SYSTEM
ADJUSTMENT PROFILE SHARE PROFILE SEATING AREA	1,5 cm 4 cm	OPENING DIRECTION	INSIDE - OUTSIDE
		OPTIONAL HEIGHT	230 cm

Product Code: M-401




MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 2 DOOR	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	150 cm - 230 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	GLASS FIXING	CROSS TENSIONER
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INSIDE - OUTSIDE
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGH	230 cm

Product Code: M-401P




MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 2 DOOR	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	150 cm - 230 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	GLASS FIXING	ROOF SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INSIDE - OUTSIDE
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGH	230 cm

Product Code: M-500




MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 1 DOOR	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	150 cm - 230 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	GLASS FIXING	CROSS TENSIONER
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INSIDE - OUTSIDE
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGH	230 cm

Product Code: M-501




MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 2 DOOR	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	150 cm - 230 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	GLASS FIXING	CROSS TENSIONER
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INSIDE - OUTSIDE
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGH	230 cm


Product Code: M-502




Product Code: M-502P



Product Code: M-503



Product Code: M-503P



MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	PENTAGON	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	STANDARD SIZE	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	GLASS FIXING	CROSS TENSIONER
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INSIDE - OUTSIDE
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGH	230 cm


MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	PENTAGON	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	STANDARD SIZE	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	GLASS FIXING	ROOF SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INSIDE - OUTSIDE
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGH	230 cm

MODEL	MOON SERIAL	PROFIL MODEL	REGISTERED DESIGN
APPLICATION	CORNER ENTRANCE	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	OPTIONAL	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	GLASS FIXING	CROSS TENSIONER
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INSIDE - OUTSIDE
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGH	230 cm


MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	CORNER ENTRANCE	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	OPTIONAL	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	GLASS FIXING	ROOF SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INSIDE - OUTSIDE
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGH	230 cm

Product Code: **M-602TG**

MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	FIXED PANEL	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	OPTIONAL	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	150 cm	GLASS FIXING	TELESCÓPIC TENSIONER
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	FIXED PANEL
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGH	DESIRED

Product Code: **M-600CG**

MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	FIXED PANEL	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	OPTIONAL	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	150 cm	GLASS FIXING	CROSS TENSIONER
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	FIXED PANEL
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGH	DESIRED

Product Code: **M-601CG**


MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	1 FIXED 1 OPENING	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	OPTIONAL	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	150 cm	GLASS FIXING	CROSS TENSIONER
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INSIDE - OUTSIDE
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGH	DESIRED

Product Code: **M-603TG**

MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	1 FIXED 1 OPENING	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	OPTIONAL	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	150 cm	GLASS FIXING	TELESCÓPIC TENSIONER
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INSIDE - OUTSIDE
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGH	DESIRED

Product Code: **M-700**

MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 1 DOOR	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	150 cm - 230 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	150 cm	GLASS FIXING	CROSS TENSIONER
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INSIDE - OUTSIDE
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGH	DESIRED

Product Code: **M-700P**

MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 1 DOOR	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	150 cm - 230 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	150 cm	GLASS FIXING	ROOF SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INSIDE - OUTSIDE
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGH	DESIRED

Product Code: **M-701**

MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 2 DOOR	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	150 cm - 230 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	150 cm	GLASS FIXING	ROOF SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INSIDE - OUTSIDE
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGH	DESIRED

Product Code: **M-701P**

MODEL	MOON SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 2 OPENING	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,725 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	150 cm - 230 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	150 cm	GLASS FIXING	ROOF SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INSIDE - OUTSIDE
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGH	DESIRED



moon
set









APPLICATION

PERFORMANCE
ON ANY
DESIRED SIZE









Taking a shower is a routine part of our lives. The shower we take when we come home tired allows us to get away from all the stress of the day and relaxes us. This is exactly what we need in those moments.

Take a shower, rest your soul..









LESS
PROFILE DETAIL
MORE
EXTERIOR VIEW...









Product Code: MS-303C



MODEL	MOON SET	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	1 FIXED 1 OPENING	PROFILE COLORS	BKZ.....
HINGE	GLASS HINGE	GLASS OPTIONS	BKZ.....
TRANSPORT CAPACITY	45 kg/NUMBER	HANDLE OPTIONS	BKZ.....
GLASS	6 mm	LOWER IMPERMEABLE PROFILE	BKZ.....
APPLICATION AREA	90 cm - 160 cm	GLASS FIXING	CROSS TENSIONER
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	İç - Dış
HEIGHT	200 cm	OPTIONAL HEIGHT	230 cm

Product Code: MS-303T




MODEL	MOON SET	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	1 FIXED 1 OPENING	PROFILE COLORS	BKZ.....
HINGE	GLASS HINGE	GLASS OPTIONS	BKZ.....
TRANSPORT CAPACITY	45 kg/NUMBER	HANDLE OPTIONS	BKZ.....
GLASS	6 mm	LOWER IMPERMEABLE PROFILE	BKZ.....
APPLICATION AREA	90 cm - 160 cm	GLASS FIXING	TELESCOPIC TENSIONER
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INSIDE - OUTSIDE
HEIGHT	200 cm	OPTIONAL HEIGHT	230 cm

Product Code: MS-201



MODEL	MOON SET	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	1 FIXED 1 DOOR	PROFILE COLORS	BKZ.....
HINGE	GLASS HINGE	GLASS OPTIONS	BKZ.....
TRANSPORT CAPACITY	45 kg/NUMBER	HANDLE OPTIONS	BKZ.....
GLASS	6 mm	LOWER IMPERMEABLE PROFILE	BKZ.....
APPLICATION AREA	90 cm - 160 cm	GLASS FIXING	CROSS TENSIONER
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INSIDE - OUTSIDE
HEIGHT	200 cm	OPTIONAL HEIGHT	230 cm

Product Code: MS-201P




MODEL	MOON SET	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	1 FIXED 1 DOOR	PROFILE COLORS	BKZ.....
HINGE	GLASS HINGE	GLASS OPTIONS	BKZ.....
TRANSPORT CAPACITY	45 kg/NUMBER	HANDLE OPTIONS	BKZ.....
GLASS	6 mm	LOWER IMPERMEABLE PROFILE	BKZ.....
APPLICATION AREA	90 cm - 160 cm	GLASS FIXING	ROOF SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INSIDE - OUTSIDE
HEIGHT	200 cm	OPTIONAL HEIGHT	230 cm

Product Code: MS-400




MODEL	MOON SET	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 1 OPENING	PROFILE COLORS	BKZ.....
HINGE	GLASS HINGE	GLASS OPTIONS	BKZ.....
TRANSPORT CAPACITY	45 kg/NUMBER	HANDLE OPTIONS	BKZ.....
GLASS	6 mm	LOWER IMPERMEABLE PROFILE	BKZ.....
APPLICATION AREA	140 cm - 230 cm	GLASS FIXING	CROSS TENSIONER
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INSIDE - OUTSIDE
HEIGHT	200 cm	OPTIONAL HEIGHT	230 cm

Product Code: MS-400P




MODEL	MOON SET	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 1 OPENING	PROFILE COLORS	BKZ.....
HINGE	GLASS HINGE	GLASS OPTIONS	BKZ.....
TRANSPORT CAPACITY	45 kg/NUMBER	HANDLE OPTIONS	BKZ.....
GLASS	6 mm	LOWER IMPERMEABLE PROFILE	BKZ.....
APPLICATION AREA	140 cm - 230 cm	GLASS FIXING	ROOF SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INSIDE - OUTSIDE
HEIGHT	200 cm	OPTIONAL HEIGHT	230 cm

Product Code: MS-500




MODEL	MOON SET	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 1 OPENING	PROFILE COLORS	BKZ.....
HINGE	GLASS HINGE	GLASS OPTIONS	BKZ.....
TRANSPORT CAPACITY	45 kg/NUMBER	HANDLE OPTIONS	BKZ.....
GLASS	6 mm	LOWER IMPERMEABLE PROFILE	BKZ.....
APPLICATION AREA	CORNER	GLASS FIXING	CROSS TENSIDE
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INSIDE - OUTSIDE
HEIGHT	200 cm	OPTIONAL HEIGHT	230 cm


Product Code: MS-501




MODEL	MOON SET	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 2 OPENING	PROFILE COLORS	BKZ.....
HINGE	GLASS HINGE	GLASS OPTIONS	BKZ.....
TRANSPORT CAPACITY	45 kg/NUMBER	HANDLE OPTIONS	BKZ.....
GLASS	6 mm	LOWER IMPERMEABLE PROFILE	BKZ.....
APPLICATION AREA	CORNER	GLASS FIXING	CROSS TENSIDE
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INSIDE - OUTSIDE
HEIGHT	200 cm	OPTIONAL HEIGHT	230 cm

Product Code: **MS-503**


MODEL	MOON SET	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 2 OPENING	PROFILE COLORS	BKZ.....
HINGE	GLASS HINGE	GLASS OPTIONS	BKZ.....
TRANSPORT CAPACITY	45 kg/NUMBER	HANDLE OPTIONS	BKZ.....
GLASS	6 mm	LOWER IMPERMEABLE PROFILE	BKZ.....
APPLICATION AREA	CORNER	GLASS FIXING	CROSS TENSIDE
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INSIDE - OUTSIDE
HEIGHT	200 cm	OPTIONAL HEIGHT	230 cm

Product Code: **MS-503P**


MODEL	MOON SET	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 2 OPENING	PROFILE COLORS	BKZ.....
HINGE	GLASS HINGE	GLASS OPTIONS	BKZ.....
TRANSPORT CAPACITY	45 kg/NUMBER	HANDLE OPTIONS	BKZ.....
GLASS	6 mm	LOWER IMPERMEABLE PROFILE	BKZ.....
APPLICATION AREA	CORNER	GLASS FIXING	ROOF SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INSIDE - OUTSIDE
HEIGHT	200 cm	OPTIONAL HEIGHT	230 cm

Product Code: **MS-700**


MODEL	MOON SET	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 1 OPENING	PROFILE COLORS	BKZ.....
HINGE	GLASS HINGE	GLASS OPTIONS	BKZ.....
TRANSPORT CAPACITY	45 kg/NUMBER	HANDLE OPTIONS	BKZ.....
GLASS	6 mm	LOWER IMPERMEABLE PROFILE	BKZ.....
APPLICATION AREA	140 cm - 230 cm	GLASS FIXING	CROSS TENSIONER
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INSIDE - OUTSIDE
HEIGHT	150 cm	OPTIONAL HEIGHT	DESIRED

Product Code: **MS-700P**

MODEL	MOON SET	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 1 OPENING	PROFILE COLORS	BKZ.....
HINGE	GLASS HINGE	GLASS OPTIONS	BKZ.....
TRANSPORT CAPACITY	45 kg/NUMBER	HANDLE OPTIONS	BKZ.....
GLASS	6 mm	LOWER IMPERMEABLE PROFILE	BKZ.....
APPLICATION AREA	140 cm - 230 cm	GLASS FIXING	ROOF SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INSIDE - OUTSIDE
HEIGHT	150 cm	OPTIONAL HEIGHT	DESIRED

Product Code: **MS-701**


MODEL	MOON SET	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 2 OPENING	PROFILE COLORS	BKZ.....
HINGE	GLASS HINGE	GLASS OPTIONS	BKZ.....
TRANSPORT CAPACITY	45 kg/NUMBER	HANDLE OPTIONS	BKZ.....
GLASS	6 mm	LOWER IMPERMEABLE PROFILE	BKZ.....
APPLICATION AREA	140 cm - 230 cm	GLASS FIXING	CROSS TENSIONER
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INSIDE - OUTSIDE
HEIGHT	150 cm	OPTIONAL HEIGHT	DESIRED

Product Code: **MS-701P**

MODEL	MOON SET	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 2 OPENING	PROFILE COLORS	BKZ.....
HINGE	GLASS HINGE	GLASS OPTIONS	BKZ.....
TRANSPORT CAPACITY	45 kg/NUMBER	HANDLE OPTIONS	BKZ.....
GLASS	6 mm	LOWER IMPERMEABLE PROFILE	BKZ.....
APPLICATION AREA	140 cm - 230 cm	GLASS FIXING	ROOF SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INSIDE - OUTSIDE
HEIGHT [H]	150 cm	OPTIONAL HEIGHT	DESIRED

Product Code: **MS-701P/1**

MODEL	MOON SET	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 1 OPENING	PROFILE COLORS	BKZ.....
HINGE	GLASS HINGE	GLASS OPTIONS	BKZ.....
TRANSPORT CAPACITY	45 kg/NUMBER	HANDLE OPTIONS	BKZ.....
GLASS	6 mm	LOWER IMPERMEABLE PROFILE	BKZ.....
APPLICATION AREA	140 cm - 230 cm	GLASS FIXING	CROSS TENSIONER
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INSIDE - OUTSIDE
HEIGHT [H]	150 cm	OPTIONAL HEIGHT	DESIRED

Product Code: **MS-700P/1**

MODEL	MOON SET	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 1 OPENING	PROFILE COLORS	BKZ.....
HINGE	GLASS HINGE	GLASS OPTIONS	BKZ.....
TRANSPORT CAPACITY	45 kg/NUMBER	HANDLE OPTIONS	BKZ.....
GLASS	6 mm	LOWER IMPERMEABLE PROFILE	BKZ.....
APPLICATION AREA	140 cm - 230 cm	GLASS FIXING	ÇATILI SİSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INSIDE - OUTSIDE
HEIGHT [H]	150 cm	OPTIONAL HEIGHT	DESIRED

For 6mm, 8mm glasses, 45 kg carrying capacity, double hole, lift, 90 outward opening glass-to-glass hinge standard model



Brass/chrome plated



Brass/gold plated



Brass/chrome plated



Brass/gold plated

For 6mm, 8mm glasses, 45 kg carrying capacity, double hole, lift, 90 inside and outside opening glass-to-glass hinge standard model



Brass/chrome plated



Brass/gold plated

For 6mm glasses, 40 kg carrying capacity, lift, 90 internal and external opening Profile to glass hinge Design registered model



Brass/gold plated



Brass/chrome plated

For 6mm, 45 kg carrying capacity for 6mm, 8mm glasses, double hole, lift, 90 inward opening glass-to-glass hinge standard model






Anodized coating is a special type of coating for aluminum. However, the resistance of aluminum in various corrosive environments is not sufficient. For this reason, anodization of aluminum needs to be coated.

The chemical formula of the layer formed on the aluminum as a result of the anodizing process is Al_2O_3 . (Aluminum Oxide layer) The aluminum surface, barrier layer and pore-like structure can be between 5-25 μm thick. In the process to be done later, these formed pores are closed and tightened to make a structure more resistant to corrosive environments and temperature.

Aluminum color options



Color options in 4 mm, 5 mm and
6 mm tempered glasses



TRANSPARENT



BRONZE



SMOKED



BLUE



GREEN

Color Options on 6 mm glasses (with mirror)



BRONZE
TENTESOLE




SMOKED
TENTESOLE



GREEN
TENTESOLE



SILVER
TENTESOLE



BLUE
TENTESOLE

Tentesole is an inline pyrolytic (hard) coated reflective solar control glass.

It is obtained by coating various metal oxides on colorless or blended colored glasses during the production process in the float line. The coating has high mechanical and chemical resistance. It can also be used as a single glass. However, mild detergents and soft cloth should be used for cleaning, and the use of damaging and abrasive substances on coated surfaces should be avoided. The coated surface can be used inward (2nd surface) or outward (1st surface). If the coating is outside, reflection comes to the fore and if it is in the interior, color comes to the fore.

When the coating is used outward, contamination will be noticed more easily on reflective surfaces and more frequent window cleaning may be required depending on air pollution and the amount of dust in the atmosphere. For this reason, it is recommended to use the coating inward.

Due to its reflective feature, it creates a mirror effect when viewed from the side where the light is strong. For example, it provides a one-way view from the inside to the outside during the daytime and, on the contrary, from the outside to the inside at night.

Tempering, partial tempering and bending may be performed.

HANDLE MODELS

Brass Handles


Product Code:
AKS - 100



Product Code:
AKS - 101



Product Code: AKS - 102



Product Code: AKS - 103



Product Code:
AKS - 104



Product Code:
AKS - 105



Product Code: AKS - 106



Product Code: AKS - 107



Product Code:
AKS - 108



Product Code:
AKS - 109



Product Code: AKS - 110



Product Code: AKS - 111



Plastic Chromage Handles



Product Code:
AKS - 112



Product Code:
AKS - 113



Product Code:
AKS - 114



Product Code:
AKS - 115



Product Code:
AKS - 116



Product Code:
AKS - 117

STABILIZER MODELS

CROSS TENSIONER



Product Code: AKS - 200


33 cm




Product Code: AKS - 201

55 cm

TELESCOPIC TENSIONER



Product Code: AKS - 202



Product Code: AKS - 203





Product Code: AKS - 204



Product Code: AKS - 205

80 cm - 120 cm ayarlanabilir.

Impermeable Models



Towel Rack Models



Product Code: AKS - 301



Product Code: AKS - 300



optimal serial
stylish



Optimoon.
Detail

All applications of the series
have profile top covers.









The importance of taking a bath in our lives is indisputable, but do you know that every item that touches our hands in the places we take a bath is actually a factor that threatens our health. We should not forget that we take a bath for health and that we should use healthy products in every detail in the bathroom.

So, if we think that we leave our body dirt in the shower areas, the situation needs more care and attention.

In that case, the most important thing we need to know is that these areas deserve the indisputable importance in our lives and the sensitivity necessary for our health.


We should search products and models that do not contain bacteria or minimize the formation of bacteria, especially in the products we use in shower areas, seek corrosion-protected/precautionary qualities in these products, focus on models that allow us to ventilate the shower areas after taking a bath and are suitable for us and our existing bathroom and we should be careful to choose products being functional and easy-to-use.

Of course, it is possible to provide hygiene with cleaning and regular cleaning.

We want to live a quality life, and we try to be healthy. We wanted to share a few of the important elements that we should not ignore and remind you of the priorities of your preferences.

We know your bathrooms are important for you. You will also find all the details you are looking for in our products!







Optimoon.
Detail

Magnetic profile is
used in the series.



Optimoon.
Detail

Glass edges are polished
in all models of the
series.








Product Code: **OPT-501**


MODEL	OPTIMAL SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 2 SLIDES	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,675 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	CORNER	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	160 cm	OPENABLE MECHANISM	SLIDING SYSTEM
ADJUSTMENT PROFILE SHARE PROFILE SEATING AREA	1,5 cm 4 cm	OPENING DIRECTION	INWARD
		OPTIONAL HEIGHT	DESIRED

Product Code: **OPT-900**


MODEL	OPTIMAL SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 2 SLIDES	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,675 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	CORNER	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	OPENABLE MECHANISM	SLIDING SYSTEM
ADJUSTMENT PROFILE SHARE PROFILE SEATING AREA	1,5 cm 4 cm	OPENING DIRECTION	INWARD
		OPTIONAL HEIGHT	DESIRED

Product Code: **OPT-401**


MODEL	OPTIMAL SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 2 SLIDES	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,675 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	140 cm - 230 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	160 cm	OPENABLE MECHANISM	SLIDING SYSTEM
ADJUSTMENT PROFILE SHARE PROFILE SEATING AREA	1,5 cm 4 cm	OPENING DIRECTION	INWARD
		OPTIONAL HEIGHT	DESIRED

Product Code: **OPT-901**

MODEL	OPTIMAL SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 1 SLIDES	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,675 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	CORNER	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	OPENABLE MECHANISM	SLIDING SYSTEM
ADJUSTMENT PROFILE SHARE PROFILE SEATING AREA	1,5 cm 4 cm	OPENING DIRECTION	INWARD
		OPTIONAL HEIGHT	DESIRED

Product Code: **OPT-400YP**


MODEL	OPTIMAL SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 2 SLIDES + YP	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,675 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	170 cm - 230 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	160 cm	OPENABLE MECHANISM	SLIDING SYSTEM
ADJUSTMENT PROFILE SHARE PROFILE SEATING AREA	1,5 cm 4 cm	OPENING DIRECTION	INWARD
		OPTIONAL HEIGHT	DESIRED

Product Code: **OPT-503**

MODEL	OPTIMAL SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 2 SLIDES	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,675 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	CORNER	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	OPENABLE MECHANISM	SLIDING SYSTEM
ADJUSTMENT PROFILE SHARE PROFILE SEATING AREA	1,5 cm 4 cm	OPENING DIRECTION	INWARD
		OPTIONAL HEIGHT	DESIRED


Product Code: **OPT-400**

MODEL	OPTIMAL SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 1 SLIDES	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,675 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	170 cm - 230 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	160 cm	OPENABLE MECHANISM	SLIDING SYSTEM
ADJUSTMENT PROFILE SHARE PROFILE SEATING AREA	1,5 cm 4 cm	OPENING DIRECTION	INWARD
		OPTIONAL HEIGHT	DESIRED

Product Code: **OPT-201**


MODEL	OPTIMAL SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	1 FIXED 1 SLIDES	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,675 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	130 cm - 170 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	OPENABLE MECHANISM	SLIDING SYSTEM
ADJUSTMENT PROFILE SHARE PROFILE SEATING AREA	1,5 cm 4 cm	OPENING DIRECTION	INWARD
		OPTIONAL HEIGHT	DESIRED

Product Code: **OPT-701**



MODEL	OPTIMAL SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 2 SLIDES	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,675 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	130 cm - 230 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	OPENABLE MECHANISM	SLIDING SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INWARD
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGHT	DESIRED

Product Code: **OPT-700**




MODEL	OPTIMAL SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 1 SLIDES	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,675 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	170 cm - 230 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	OPENABLE MECHANISM	SLIDING SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INWARD
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGHT	DESIRED

Product Code: **OPT-700YP**




MODEL	OPTIMAL SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 1 SLIDES +YP	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,675 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	170 cm - 230 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	OPENABLE MECHANISM	SLIDING SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INWARD
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGHT	DESIRED

Product Code: **OPT-701YP**




MODEL	OPTIMAL SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 2 SLIDES+YP	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,675 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	130 cm - 230 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	160 cm	OPENABLE MECHANISM	SLIDING SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INWARD
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGHT	DESIRED

Product Code: **OPT-401YP**



MODEL	OPTIMAL SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 2 SLIDES+YP	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,675 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	130 cm - 230 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	160 cm	OPENABLE MECHANISM	SLIDING SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INWARD
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGHT	DESIRED

Product Code: **OPT-201YP**



MODEL	OPTIMAL SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	1 FIXED 1 SLIDES+YP	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,675 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	130 cm - 170 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	200 cm	OPENABLE MECHANISM	SLIDING SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INWARD
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGHT	DESIRED



CHROMAGE PLATING

ADJUSTABLE DOUBLE WHEEL
BEARING WITH METAL BODY



CHROMAGE PLATING

BRASS BODY EXCENTRIC BEARING



GOLD-PLATED

ADJUSTABLE DOUBLE WHEEL
BEARING WITH METAL BODY



GOLD-PLATED

BRASS BODY EXCENTRIC BEARING



luxury
serial











There are many application options in the sliding cabinets, which are made by using 2 mm flex, 4 mm, 5 mm and 6 mm tempered glass and an option where different system is used for each glass preference. The system works by sliding the glass on the tempered glass or profile mounted rollers that move in the profile slot. It is very easy to use. If you are sensitive about cleaning, it is possible to choose the right product with at least profile details in 5mm and 6mm glass options. It is the first choice in bathrooms as it takes up less space compared to door applications.

Optimoon branded products have details that make the product easier to use and increase its quality. The most important detail used in sliding cabins is the roller [bearing]. This product is also not an accessory. On the contrary, a special production is made that carries the glass during sliding, does not cause problems in sliding and does not come out of the profile slot. In this way, you can use your sliding cabinet for many years without the need for technical service and without any problems.

Another important detail is the magnets and glass wicks used in sliding systems. However, after 6 months -1 year, the wicks, which turn yellow over time and harden with temperature variability, become uncomfortable causing the cabin does not close and makes a sound during driving with the magnets that have lost their properties. The wick/magnet group used in Optimoon branded products are 1st class domestic special productions. We ensure safe and healthy product use by the consumer by making the right choices in finished and semi-finished products in all the models we produce.







Optimoon_®
Detail

Magnetic profile is
used in the series.






Product Code: **LUX-501**


MODEL	LUXURY SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 2 SLIDES	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,675 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	CORNER	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	150 cm	OPENABLE MECHANISM	SLIDING SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INWARD
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGHT	DESIRED

Product Code: **LUX-900**


MODEL	LUXURY SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 2 SLIDES	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,675 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	CORNER	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	190 cm	OPENABLE MECHANISM	SLIDING SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INWARD
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGHT	DESIRED

Product Code: **LUX-401**


MODEL	LUXURY SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 2 SLIDES	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,675 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	140 cm - 230 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	150 cm	OPENABLE MECHANISM	SLIDING SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INWARD
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGHT	DESIRED

Product Code: **LUX-901**

MODEL	LUXURY SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 1 SLIDES	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,675 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	CORNER	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	190 cm	OPENABLE MECHANISM	SLIDING SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INWARD
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGHT	DESIRED

Product Code: **LUX-400YP**


MODEL	LUXURY SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 1 SLIDES+YP	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,675 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	170 cm - 230 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	150 cm	OPENABLE MECHANISM	SLIDING SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INWARD
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGHT	DESIRED

Product Code: **LUX-503**

MODEL	LUXURY SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 2 SLIDES	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,675 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	CORNER	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	190 cm	OPENABLE MECHANISM	SLIDING SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INWARD
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGHT	DESIRED


Product Code: **LUX-400**

MODEL	LUXURY SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	2 FIXED 1 SLIDES	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,675 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	170 cm - 230 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	150 cm	OPENABLE MECHANISM	SLIDING SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INWARD
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGHT	DESIRED

Product Code: **LUX-201**


MODEL	LUXURY SERIAL	PROFILE MODEL	REGISTERED DESIGN
APPLICATION	1 FIXED 1 SLIDES	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,675 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	130 cm - 170 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	190 cm	OPENABLE MECHANISM	SLIDING SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INWARD
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGHT	DESIRED

Product Code: LUX-701




MODEL	LUXURY SERIAL	PROFILE MODEL	RESIGTERED DESIGN
APPLICATION	2 FIXED 2 SLIDES	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,675 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	130 cm - 230 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	190 cm	OPENABLE MECHANISM	SLIDING SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INWARD
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGHT	DESIRED

Product Code: LUX-401YP




MODEL	LUXURY SERIAL	PROFILE MODEL	RESIGTERED DESIGN
APPLICATION	2 FIXED 2 SLIDES+YP	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,675 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	130 cm - 230 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	190 cm	OPENABLE MECHANISM	SLIDING SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INWARD
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGHT	DESIRED

Product Code: LUX-700




MODEL	LUXURY SERIAL	PROFILE MODEL	RESIGTERED DESIGN
APPLICATION	2 FIXED 1 SLIDES	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,675 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	170 cm - 230 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	190 cm	OPENABLE MECHANISM	SLIDING SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INWARD
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGHT	DESIRED

Product Code: LUX-201YP



MODEL	LUXURY SERIAL	PROFILE MODEL	RESIGTERED DESIGN
APPLICATION	1 FIXED 1 SLIDES+YP	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,675 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	130 cm - 170 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	190 cm	OPENABLE MECHANISM	SLIDING SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INWARD
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGHT	DESIRED

Product Code: LUX-700YP



MODEL	LUXURY SERIAL	PROFILE MODEL	RESIGTERED DESIGN
APPLICATION	2 FIXED 1 SLIDES +YP	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,675 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	170 cm - 230 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	190 cm	OPENABLE MECHANISM	SLIDING SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INWARD
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGHT	DESIRED

Product Code: LUX-701YP



MODEL	LUXURY SERIAL	PROFILE MODEL	RESIGTERED DESIGN
APPLICATION	2 FIXED 2 SLIDES +YP	PROFILE COLORS	BKZ.....
PROFILE WEIGHT	0,675 kg/mt	GLASS OPTIONS	BKZ.....
GLASS	6 mm	HANDLE OPTIONS	BKZ.....
APPLICATION AREA	130 cm - 230 cm	LOWER IMPERMEABLE PROFILE	BKZ.....
HEIGHT	190 cm	OPENABLE MECHANISM	SLIDING SYSTEM
ADJUSTMENT PROFILE SHARE	1,5 cm	OPENING DIRECTION	INWARD
PROFILE SEATING AREA	4 cm	OPTIONAL HEIGHT	DESIRED





4 mm
serial



SIZE	APPLCATION	GLASS	COLOR	HEIGHT
DESIRED	2 FIXED 4 SLIDES	4 MM	TRANSPARENT	180/190 CM



SIZE	APPLCATION	GLASS	COLOR	HEIGHT
DESIRED	2 FIXED 2 SLIDES	4 MM	TRANSPARENT	180/190 CM



SIZE	APPLCATION	GLASS	COLOR	HEIGHT
DESIRED	1 FIXED 1 SLIDES SIDE PANEL	4 MM	TRANSPARENT	180/190 CM



SIZE	APPLCATION	GLASS	COLOR	HEIGHT
DESIRED	2 FIXED 2 SLIDES	4 MM	TRANSPARENT	180/190 CM



SIZE	APPLCATION	GLASS	COLOR	HEIGHT
DESIRED	FIXED 2 SLIDES	4 MM	TRANSPARENT	180/190 CM



SIZE	APPLCATION	GLASS	COLOR	HEIGHT
DESIRED	1 FIXED 1 SLIDES	4 MM	TRANSPARENT	180/190 CM

MANY OPTIONS,
HARD TO CHOOSE...





SIZE CORNER	SIZE ASYMMETRIC
110x110 H:55	160x75 H:50
120x120 H:55	170x75 H:50
130x130 H:55	140x100 H:50
140x140 H:55	150x100 H:50
150x150 H:55	160x100 H:50
180x180 H:55	170x100 H:50
80x80 H:45	80x100 H:50
90x90 H:45	80x110 H:50
100x100 H:45	80x120 H:50
110x110 H:45	80x130 H:50
120x120 H:45	90x110 H:45
130x130 H:45	90x120 H:45
	90x130 H:45



ACRYLIC BATH

BODY	+	FOOT	+	FRONT PANEL
------	---	------	---	-------------

JACUZZI BATH

ACRYLIC BATH	+	HYDRO MASSAGE SYSTEM
--------------	---	----------------------

HYDRO MASSAGE SYSTEM FEATURE

1 HYDRO MASSAGE STANDARD SYSTEM

[0,900 Hp Engine + 6 Side Hydro Massage Water Jest + Automatic siphon

2 HYDRO MASSAGE EXTRA SYSTEM

[0,900 Hp Engine + 6 Side Hydro Massage Water Jest + Automatic siphon + 4 Back Massage Jets



3 HYDRO MASSAGE ULTRA SYSTEM

[0,900 Hp Engine + 6 Side Hydro Massage Water Jest + Automatic siphon + 4 Back Massage Jets + 0,700 Hp Blower Motor+ 10 Air Jests

4 HYDRO MASSAGE FULL SYSTEM

[0,900 Hp Engine + 6 Side Hydro Massage Water Jest + Automatic siphon + 4 Back Massage Jets + 0,700 Hp Blower Engine+ 10 Air Jests + Therapy Lamp

SIZE REGENTULAR				
120x70	160x75	110x80	160x90	120x230
130x70	170x75	120x80	170x90	120x170
140x70	180x75	130x80	180x90	120x180
150x70		140x80	190x90	
160x70		150x80	200x90	
		160x80		
		170x80		
		180x80		
		190x80		



PANEL SIZE - H: 20 CM
70x70
75x75
80x80
85x85
90x90
95x95
100x100
110x110
120x120
130x130

MONO BLOK SIZE - H: 9 CM
70x70
75x75
80x80
85x85
90x90
95x95
100x100
110x110
120x120
130x130

FLAT SIZE - H: 6 CM
70x70
75x75
80x80
85x85
90x90
95x95
100x100
110x110
120x120
130x130

PANEL SIZE - H: 20 CM
70x70
75x75
80x80
85x85
90x90
95x95
100x100
110x110
120x120
130x130

MONO BLOK SIZE - H: 9 CM
70x70
75x75
80x80
85x85
90x90
95x95
100x100
110x110
120x120
130x130

FLAT SIZE - H: 6 CM
70x70
75x75
80x80
85x85
90x90
95x95
100x100
110x110
120x120
130x130



PANEL
SIZE - H: 20 CM

70x100
80x90
90/80x100
90/80x110
90/80x120
90/80x130
80x140
80x140
80x160

MONO BLOK
SIZE - H: 9 CM

70x100
80x90
90/80x100
90/80x110
90/80x120
90/80x130
80x140
80x140
80x160

FLAT
SIZE - H: 6 CM

70x100
80x90
90/80x100
90/80x110
90/80x120
90/80x130
80x140
80x140
80x160

PANEL
SIZE - H: 20 CM

70x80
70/75/80x90
70/75/80/90x100
70/75/80/90/100x110
70/75/80/90/100x120
70/75/80/90/100x130
70/75/80/90/100x140
70/75/80/90/100x150
70/75/80/90/100x160
70/75/80/90x170
75/80/90x180
90x190

MONO BLOK
SIZE - H: 20 CM

70x80
70/75/80x90
70/75/80/90x100
70/75/80/90/100x110
70/75/80/90/100x120
70/75/80/90/100x130
70/75/80/90/100x140
70/75/80/90/100x150
70/75/80/90/100x160
70/75/80/90x170
75/80/90x180
90x190

FLAT
SIZE - H: 20 CM

70x80
70/75/80x90
70/75/80/90x100
70/75/80/90/100x110
70/75/80/90/100x120
70/75/80/90/100x130
70/75/80/90/100x140
70/75/80/90/100x150
70/75/80/90/100x160
70/75/80/90x170
75/80/90x180
90x190





OPTİMUM BANYO İNŞAAT MALZEMELERİ VE CAM ÜRÜNLERİ İNŞ. SAN. TİC. LTD. ŞTİ.
GÜZELEVLER MAH. MOBİLYACILAR SİTESİ 21. BLOK FULYA SOKAK NO: 4 YÜREĞİR/ADANA

Phone: 0322 232 44 47 - Fax: 0322 346 02 72

info@optimoon.com.tr - uretim@optimoon.com.tr - optimoon@optimoon.com.tr

www.optimoon.com.tr

